

GENERAL NOTES

- ALL CONTRACTORS ARE REQUIRED TO CONTACT DIG SAFE, THE MUNICIPALITIES PUBLIC WORKS DEPARTMENT, AND ANY OTHER PUBLIC OR PRIVATE AGENCIES NECESSARY FOR UTILITY LOCATION PRIOR TO ANY CONSTRUCTION.
- UNDERGROUND UTILITIES WILL EXIST THROUGHOUT THIS SITE AND MUST BE LOCATED PRIOR TO CONSTRUCTION. WHERE UNDERGROUND UTILITIES EXIST, FIELD ADJUSTMENT MUST BE APPROVED BY A REPRESENTATIVE OF THE OWNER PRIOR TO INSTALLATION. NEITHER THE OWNER NOR THE LANDSCAPE ARCHITECT ASSUMES ANY RESPONSIBILITY WHATSOEVER, IN RESPECT TO THE CONTRACTORS ACCURACY IN LOCATING THE INDICATED ELEMENTS ON THE DRAWINGS.
- THE LANDSCAPE ARCHITECT AND CONSULTANTS DO NOT WARRANT OR GUARANTEE THE ACCURACY AND COMPLETENESS OF THE WORK PRODUCT THEREIN BEYOND A REASONABLE DILIGENCE. IF ANY MISTAKES, OMISSIONS, OR DISCREPANCIES ARE FOUND TO EXIST WITH THE WORK PRODUCT, THE LANDSCAPE ARCHITECT SHALL BE PROMPTLY NOTIFIED SO THAT THEY MAY HAVE THE OPPORTUNITY TO TAKE ANY STEPS NECESSARY TO RESOLVE THE ISSUE. FAILURE TO PROMPTLY NOTIFY THE OWNER AND THE LANDSCAPE ARCHITECT OF SUCH CONDITIONS SHALL ABSOLVE THEM FROM ANY RESPONSIBILITY FOR THE CONSEQUENCES OF SUCH FAILURE. ACTIONS TAKEN WITHOUT THE KNOWLEDGE AND CONSENT OF THE OWNER AND THE LANDSCAPE ARCHITECT, OR IN CONTRADICTION TO THE OWNER AND THE LANDSCAPE ARCHITECTS WORK PRODUCT OR RECOMMENDATIONS, SHALL BECOME THE RESPONSIBILITY NOT OF THE OWNER AND THE LANDSCAPE ARCHITECT BUT FOR THE PARTIES RESPONSIBLE FOR THE TAKING OF SUCH ACTION.
- IT IS DOUCETTE LANDSCAPE DESIGN'S UNDERSTANDING THAT THE BASE INFORMATION WAS PROVIDED BY A LICENSED LAND SURVEYOR. THE CONTRACTOR SHALL NOTIFY THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT OF ANY DISCREPANCIES AS SOON AS THEY ARE DISCOVERED AND PRIOR TO ANY ACTION BY THE CONTRACTOR.

GRADING NOTES

- REFER TO THE CIVIL ENGINEER'S DRAWINGS FOR GENERAL SITE GRADING AROUND THE PROJECT SITE.
- REFER TO THE LANDSCAPE ARCHITECT'S DRAWINGS FOR MICRO GRADING AROUND THE PROJECT SITE. MICRO GRADING IS RELATED TO FINISH ELEVATIONS OF HARDSCAPE SURFACES, I.E. SITE WALLS, TERRACES AND WALKS, UNLESS OTHERWISE NOTED.

LAYOUT NOTES

- THE CONSULTANT DRAWINGS ARE SUPPLEMENTARY TO THE LANDSCAPE ARCHITECTURAL DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO CHECK WITH WITH LANDSCAPE ARCHITECTURAL DRAWINGS BEFORE INSTALLATION OF CONSULTANT WORK. SHOULD THERE BE A DISCREPANCY BETWEEN THE LANDSCAPE ARCHITECTURAL DRAWINGS AND THE DRAWINGS OF THE CONSULTING ENGINEERS, IT SHALL BE BROUGHT TO THE LANDSCAPE ARCHITECT'S ATTENTION FOR CLARIFICATION. ANY WORK INSTALLED IN CONFLICT WITH ANY OF THE DRAWINGS SHALL BE CORRECTED AT NO EXPENSE OF THE OWNER OR DESIGN CONSULTANTS.
- ALL SYMBOLS, ABBREVIATIONS AND MATERIAL INDICATIONS ARE CONSIDERED TO BE CONSTRUCTION STANDARDS. IF THE CONTRACTOR HAS QUESTIONS REGARDING THEIR EXACT MEANING, THE CONTRACTOR SHALL REQUEST THAT THE LANDSCAPE ARCHITECT ISSUE A CLARIFICATION.
- DO NOT SCALE DRAWINGS. DIMENSIONS MISSING FROM PLANS OR NEEDED FOR EXECUTION OF THE WORK SHALL BE CLARIFIED OR PROVIDED BY THE LANDSCAPE ARCHITECT BEFORE THE WORK IS INSTALLED.
 - ALL DIMENSIONS ARE TO FACE OF FINISH MATERIAL, UNLESS OTHERWISE NOTED.
 - TAKE ALL DIMENSIONS PERPENDICULAR TO ANY REFERENCE LINE, WORK LINE, CENTERLINE, OR FACE OF BUILDING/STRUCTURE.
 - ALL DIMENSIONS CALLED OUT AS "EQUAL" ARE CONSIDERED EQUIDISTANT MEASUREMENTS.
- REFERENCE TO NORTH IS TRUE NORTH.
- REFERENCE TO SCALE IS FOR FULL SIZED DRAWINGS, NOT REDUCED PLANS. DO NOT SCALE FROM DRAWINGS.
- ANY CONFLICTS IN WHICH THE METHODS OR STANDARDS OF INSTALLATION OR MATERIALS SPECIFIED DO NOT EQUAL OR EXCEED THE REQUIREMENTS OF THE LAWS OR ORDINANCES GOVERNING THE PROJECT, THE LAWS AND ORDINANCES SHALL TAKE PRECEDENCE. NOTIFY THE LANDSCAPE ARCHITECT OF ALL CONFLICTS.
- THE CONTRACTOR SHALL MAKE CERTAIN THAT THE WORK OF THE NEW CONSTRUCTION WILL NOT OBSTRUCT FIRE DEPARTMENT ACCESS TO NEARBY BUILDINGS. EXITS SHALL BE MAINTAINED CLEAR OF ALL OBSTRUCTIONS.
- THE CONTRACTOR SHALL VERIFY THE EXISTING CONDITIONS AND NOTIFY THE LANDSCAPE ARCHITECT OF ANY CONDITIONS VARYING FROM INFORMATION HEREIN PRIOR TO PROCEEDING WITH WORK.
- TO ESTABLISH LANDSCAPE ARCHITECTURAL INTENT, EVERY ATTEMPT HAS BEEN MADE TO IDENTIFY MOST CONDITIONS

PLANTING NOTES

- ALL PLANT MATERIAL SHALL BE INSTALLED AS PER THE CONTRACT DOCUMENTS AND SPECIFICATIONS.
- THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH THE GENERAL CONTRACTOR AND IF NECESSARY OTHER SUB CONTRACTORS AS REQUIRED TO ACCOMPLISH PLANT MATERIAL INSTALLATION.
- THE LANDSCAPE CONTRACTOR IS RESPONSIBLE TO LOCATE ALL UNDERGROUND UTILITIES PRIOR TO STARTING WORK.
- PLANT MATERIAL INSTALLATION SHALL NOT OCCUR BEFORE ROUGH GRADING HAS BEEN COMPLETED AND APPROVED BY LANDSCAPE ARCHITECT.
- ALL PLANT MATERIAL SHALL CONFORM TO THE GUIDELINES ESTABLISHED BY THE CURRENT AMERICAN STANDARD FOR NURSERY STOCK, PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN. ALL TREES AND SHRUBS OF THE SAME SPECIES AND SIZE SHALL HAVE MATCHING HEIGHT AND FORM UNLESS OTHERWISE NOTED ON THE PLANS.
- CONTRACTOR IS RESPONSIBLE TO VERIFY ALL PLANT QUANTITIES FOUND IN THE PLANTING PLANS. IF ANY DISCREPANCIES ARE FOUND, LANDSCAPE ARCHITECT SHOULD BE NOTIFIED IMMEDIATELY.
- STAKE LOCATIONS OF PROPOSED PLANT MATERIAL PRIOR TO EXCAVATING PLANT PITS. LOCATION OF ALL PLANT PITS TO BE DETERMINED IN THE FIELD WITH THE LANDSCAPE ARCHITECT. PAINT OUTLINES FOR PLANT BEDS AND GROUND COVER, FINAL LAYOUT AND PLACEMENT OF ALL PLANT MATERIAL TO BE APPROVED BY THE LANDSCAPE ARCHITECT.
- CONTRACTOR SHALL FURNISH PLANT MATERIAL FREE OF PESTS OR PLANT DISEASES. PRESELECTED OR "TAGGED" MATERIAL MUST BE INSPECTED BY THE CONTRACTOR AND CERTIFIED PEST AND DISEASE FREE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO WARRANTY ALL PLANT MATERIAL BASED ON THE CONTRACT DOCUMENTS AND SPECIFICATIONS.
- CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACEMENT OF ANY EXISTING HARDSCAPE OR SOFTSCAPE MATERIALS DAMAGED DURING PLANTING OPERATIONS INCLUDING SEEDING ALL DISTURBED AREAS ACCORDING TO THE SPECIFICATIONS AND LAWN DETAIL.
- ALL AREAS NOT IDENTIFIED FOR ROADWAY OR HARDSCAPE IMPROVEMENTS SHALL RECEIVE TOPSOIL AND SEED.
- ALL TREES, PLANT BEDS AND GROUND COVER SHALL BE COVERED WITH 2" OF ORGANIC BARK MULCH AS NOTED IN THE SPECIFICATIONS.
- AREAS SHOWN AS GROUND COVER AT THE BASE OF TREES AND SHRUBS MUST CONFORM TO THE FOLLOWING CRITERIA. THERE SHALL BE NO GROUND COVER INSTALLED AT THE BASE OF TREES OR SHRUBS AS FOLLOWS:
 - 4 FOOT RADIUS AROUND EVERGREENS.
 - 3 FOOT RADIUS AROUND DECIDUOUS TREES.
 - 2 FOOT RADIUS AROUND LARGE SHRUBS.
- ALL SHRUBS AND GROUND COVER SHALL BE PLANTED USING A TRIANGULATED METHOD, REFER TO PLANT MATERIAL INSTALLATION DETAILS.
- REFER TO PLANTING DETAILS FOR PROPER PLANT MATERIAL INSTALLATION REQUIREMENTS.
- IF THE LANDSCAPE CONTRACTOR PROPOSES A SUBSTITUTE PLANT SPECIES, ALL SUBSTITUTES NEED TO BE APPROVED BY THE LANDSCAPE ARCHITECT IN WRITING PRIOR TO ORDERING.

LANDSCAPE ARCHITECTURAL SYMBOLS

	DETAIL BUBBLE
	SECTION SYMBOL
	ELEVATION
	NORTH ARROW
	BUILDING ELEVATION NOTATION
	SPOT ELEVATION
	EXISTING SPOT ELEVATION
	REVISION BUBBLE
	DIMENSION

NOTE: ALL DIMENSIONS ARE TO OR FROM STRUCTURAL GRID LINES OR FACE OF FINISH MATERIAL, U.O.N.

LANDSCAPE DRAWING ABBREVIATIONS

@	AT	HP	HIGH POINT
AD	AREA DRAIN	HT	HEIGHT
AL	ALIGN	I.D.	INSIDE DIAMETER
ALT	ALTERNATE	LP	LOW POINT
ASPH	ASPHALT	MAX	MAXIMUM
BC	BOTTOM OF CURB	MFR	MANUFACTURER
BLDG	BUILDING	MIN	MINIMUM
BS	BOTTOM OF STEP	NIC	NOT IN CONTRACT
BW	BOTTOM OF WALL	O.C.	ON CENTER
CB	CATCH BASIN	O.D.	OUTSIDE DIAMETER
CJ	CONTROL JOINT	QTY	QUANTITY
CL	CENTERLINE	R	RADIUS
CONC	CONCRETE	REINF	REINFORCED
CONST	CONSTRUCTION	REQ	REQUIRED
CONT	CONTINUOUS	SPECS	SPECIFICATIONS
CTR	CENTER	SS	STAINLESS STEEL
DIA	DIAMETER	STD	STANDARD
DIM	DIMENSION	TD	TRENCH DRAIN
DWG	DRAWING	TC	TOP OF CURB
EA	EACH	TS	TOP OF STEP
EJ	EXPANSION JOINT	TW	TOP OF WALL
ELEV	ELEVATION	TYP	TYPICAL
EOP	EDGE OF PAVEMENT	U.O.N.	UNLESS OTHERWISE NOTED
EQ	EQUAL	VIF	VERIFY IN FIELD
EW	EACH WAY	W/	WITH
FC	FLUSH CURB	W/O	WITHOUT
FF	FINISH FLOOR	WWF	WELDED WIRE FABRIC



PLANS PROVIDED BY:
DOUCETTE LANDSCAPE DESIGN
2553 MALLETT'S BAY AVE
COLCHESTER, VT 05446
(802) 258-8654

ISSUED FOR BID

GENERAL LANDSCAPE NOTES

DATE: 01/18/2026
DR. BY: BD
CHECK'D BY: BD
SCALE: AS SHOWN
REV.:

WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT

SHEET NO.

L0.00

ISSUED FOR BID

LANDSCAPE GRADING
PLAN



DATE: 01/18/2026
DR. BY: BD
CHEK'D BY: BD
SCALE: AS SHOWN
REV.:

WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT

SHEET NO.

L1.00

PRELIMINARY PLANS ONLY
NOT FOR CONSTRUCTION




MONUMENT STONE SCHEDULE:


KEY	DEDICATION	DIMENSIONS	HEIGHT ABOVE GRADE
A	WELCOME STONE	24" x 24" x 6'-6" Ht.	3'-6"
B	WORLD WAR II	28" x 28" x 10' Ht.	7'-0"
C	WORLD WAR II	28" x 28" x 10' Ht.	7'-0"
D	KOREAN WAR	28" x 28" x 10' Ht.	7'-0"
E	VIETNAM WAR	28" x 28" x 10' Ht.	7'-0"
F	MIDDLE EASTERN WARS	28" x 28" x 10' Ht.	7'-0"
G	CENTER STONE	24" x 24" x 4' Ht.	3'-0"
H	MISC. MEMORIAL STONE	28" x 28" x 10' Ht.	7'-0"

NOTES:

- ALL STONE MONUMENTS TO BE LOCALLY SOURCED STONE, CONTRACTOR SHALL PROVIDE SHOP DRAWINGS FOR APPROVAL BY LANDSCAPE ARCHITECT PRIOR TO INSTALLATION
- SIZES SHOWN INCLUDE DIRECT BURIAL EMBEDMENT INTO EARTH, REFER TO HEIGHT ABOVE GRADE FOR FINAL REVEAL AT FINISH GRADE.
- CONTRACTOR SHALL ENSURE ALL STONE ARE SET PLUMB AND ARE SECURE. STONES SHALL REMAIN STATIONARY UNDER LOAD OF ANY NATURAL FORCES



**PRELIMINARY PLANS ONLY
NOT FOR CONSTRUCTION**



PLANS PROVIDED BY:
DOUCETTE
 LANDSCAPE DESIGN
 2553 MALLETT'S BAY AVE
 COLCHESTER, VT 05448
 (802) 258-8654

ISSUED FOR BID

**LANDSCAPE MATERIALS
PLAN**

DATE: 01/18/2026
DR. BY: BD
CHEK'D BY: BD
SCALE: AS SHOWN
REV.:

**WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT**

SHEET NO.
L2.00

ISSUED FOR BID


LANDSCAPE LAYOUT
PLAN

DATE: 01/18/2026
DR. BY: BD
CHEK'D BY: BD
SCALE: AS SHOWN
REV.: 1 2/2/26


WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT


SHEET NO.

L2.01





PRELIMINARY PLANS ONLY
NOT FOR CONSTRUCTION






H METAL EDGING
SCALE 1" = 1'-0" d-metal edging.dwg

- NOTES:
- CONTRACTOR TO INSTALL STONE MOCK-UP FOR REVIEW AND APPROVAL BY LANDSCAPE ARCHITECT.
 - UTILIZE LARGE FULL STONES AT IRREGULAR EDGES, CUT/GRIND ADJACENT HARDSCAPE CONDITION TO CONFORM TO NATURAL SHAPE OF FIELDSTONE EDGE. ONLY STRAIGHT CUT EDGES AT SOFTSCAPE CONDITION TO RECEIVE PAVER EDGE RESTRAINT.




E IRREGULAR FIELDSTONE PAVEMENT
SCALE 1" = 1'-0" d_irregular fieldstone flagging.dwg

- NOTES:
- USE ONLY RECTILINEAR NATURED STONES, AVOID SHARP EDGES AND CHIPPED STONES.
 - STONES TO BE ROUGHLY 6-8" IN LENGTH.
 - ALL CONCRETE TO BE 4000 PSI, TYPICAL




F COBBLESTONE CURB
SCALE 1" = 1'-0" d-flush cobble curb.dwg



- NOTE:
INSTALL PAVER RESTRAINT WHEREVER PAVERS ABUT SOFTSCAPE CONDITIONS, TYPICAL





G PAVER EDGE RESTRAINT
SCALE 2" = 1'-0" d-paver restraint.dwg




B STONE DUST PATH
SCALE 1" = 1'-0" d-stone dust.dwg



C CONCRETE UNIT PAVERS
SCALE 1" = 1'-0" d-concrete unit pavers.dwg



D JOINTS - CONCRETE PAVEMENT
SCALE 1" = 1'-0" d-concrete joints.dwg



A CONCRETE PAVEMENT
SCALE 1" = 1'-0" d-concrete pavement.dwg

- NOTES:
- SLOPE TOP OF SUB-BASE IN ACCORDANCE WITH GRADING PLAN
 - INSTALL PAVER EDGE RESTRAINT WHERE ADJACENT TO SOFTSCAPE, REFER TO DETAIL G/L.300

INSTALL IN A RUNNING BOND PATTERN, TYPICAL
1/8" MAX. SAND SWEEP JOINTS, STABILIZED SAND JOINT FILL
CONCRETE UNIT PAVER
INSTALL FINISH SIDE UP
REFER TO SPECIFICATIONS

1- 1 1/2" BEDDING COURSE OF WASHED STONE SCREENINGS
SUB-BASE, REFER TO SPECIFICATIONS
COMPACTED SUB-GRADE

WALL OR STRUCTURE
SEALANT 3/4" DEEP
#4 SMOOTH DOWEL BARS
18" LONG @ 12" O.C. AND PARALLEL
LUBRICATE ONE SIDE
PREFORMED JOINT FILLER
FULL DEPTH OF SLAB

SEALANT 3/4" DEEP
#4 SMOOTH DOWEL BARS,
18" LONG @ 12" O.C. AND PARALLEL
LUBRICATE ONE SIDE
PREFORMED JOINT FILLER
FULL DEPTH OF SLAB

ISSUED FOR BID

LANDSCAPE DETAILS

DATE: 01/18/2026	DR. BY: BD	CHEK'D BY: BD	SCALE: AS SHOWN	REV.: 1	2/2/26
------------------	------------	---------------	-----------------	---------	--------


WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT

SHEET NO.


L3.00

DATE: 01/18/2026	DR. BY: BD	CHEK'D BY: BD	SCALE: AS SHOWN	REV.:
------------------	------------	---------------	-----------------	-------


NOTES:
1. REFER TO MONUMENT STONE SCHEDULE FOR FULL DIMENSIONS OF STONE



E CENTER INSCRIPTION STONE
SCALE 1" = 1'-0" d-center stone.dwg




A RECLAIMED MONOLITHIC STONE BENCH
SCALE 1" = 1'-0" d-monolithic stone bench.dwg




NOTES:
1. REFER TO LAYOUT DRAWINGS FOR HORIZONTAL LAYOUT AND RADIUS INFORMATION
2. REFER TO GRADING PLANS FOR ELEVATIONS
3. SAW CUT INTERIOR ENDS OF STONE PIECES.

NOTES:
1. WALL TO BE CONSTRUCTED USING MEDIUM AND LARGE STONES, AVOID USING SMALL STONES AND CHINKING WHEREVER POSSIBLE. TYPICAL SET STONE IN HORIZONTAL COURSES, MINIMAL CHINKING SHOULD BE USED.
2. CONTRACTOR TO PROVIDE MOCKUP FOR REVIEW AND APPROVAL BY LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
3. CONTRACTOR TO PROVIDE PRODUCT SUBMITTALS TO LANDSCAPE ARCHITECT FOR REVIEW AND APPROVAL PRIOR TO INSTALLATION.



B DRYSTACK STONE RETAINING WALL
SCALE 1/2" = 1'-0" d-drystack stone retaining wall.dwg

NOTES:
CONTRACTOR SHALL SUPPLY A DOWNCAST POLE-TOP SOLAR LIGHT. THE LIGHT SHALL BE THE MAGNUM LED DOWNLIGHT AS MANUFACTURED BY EAGLE MOUNTAIN FLAG & FLAGPOLE, OR APPROVED EQUAL.



D FLAG POLE
SCALE NTS p-flagpole.dwg

PLANT LIST:

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	REMARKS
DECIDUOUS TREES:					
AC	Amelanchier canadensis	Running Serviceberry	3	8-10' Ht.	B&B, Multi-Stem
UA	Ulmus americana 'New Harmony'	New Harmony Elm	2	2.5-3" Cal.	B&B, 6" Branching Ht.
PERENNIALS & ORNAMENTAL GRASSES:					
AN	Anemone canadensis	Canadian Anemone	20	1 Gal.	Plant 18" O.C.
CV	Carex vulpinoidea	American Fox-sedge	11	1 Gal.	Plant 18" O.C.
LA	Lavandula angustifolia	English Lavender	27	3 Gal.	Plant 18" O.C.
LS	Leucanthemum x superbum	Shasta Daisy	22	3 Gal.	Plant 18" O.C.
NF	Nepeta faassenii 'Walker's Low'	Catmint	14	3 Gal.	Plant 24" O.C.
PA	Pennisetum alopecuroides 'Hameln'	Dwarf Fountain Grass	70	3 Gal.	Plant 24" O.C.
RF	Rudbeckia fulgida 'Goldsturm'	Black-eyed Susan	21	3 Gal.	Plant 18" O.C.
SH	Sporobolus heterolepis	Prairie Dropseed	16	3 Gal.	Plant 24" O.C.
TV	Tredescantia virginiana	Virginia Spiderwort	18	3 Gal.	Plant 18" O.C.

LAWN
PREMIER SHADE AND SUN MIX
MFR: L.D. OLIVER SEED COMPANY
APPLICATION RATE: 4LBS/1000SF

WILDFLOWER MIX:
NATIVE NORTHEAST WILDFLOWER MIX
MFR: AMERICAN MEADOWS
APPLICATION RATE: 35 LBS/ACRE

NOTES:

- CONTRACTOR SHALL ENSURE ALL SEEDED AREAS SHOWN ON PLAN ESTABLISH WITH VIGOROUS HEALTH AND MINIMAL WEEDS. REFER TO SEEDING AND SODDING SPECIFICATION.
- ALL AREAS TO RECEIVE WILDFLOWER TREATMENT SHALL BE TILLED AND SEEDED PER THE REQUIRED SEEDING RATE.



PLANS PROVIDED BY:
DOUCETTE
LANDSCAPE DESIGN
2553 MALLETS BAY AVE
COLCHESTER, VT 05448
(802) 258-8654

ISSUED FOR BID

LANDSCAPE PLANTING PLAN


DATE: 01/18/2026
DR. BY: BD
CHEK'D BY: BD
SCALE: AS SHOWN
REV.:


**WILMINGTON VETERANS MEMORIAL
1 BEAVER STREET
WILMINGTON, VT**

SHEET NO.

L4.00

**PRELIMINARY PLANS ONLY
NOT FOR CONSTRUCTION**






NOTES:
1. REFER TO PLANT LIST FOR SPECIFICATION FOR SEEDING AND SODDING.
2. ALL LAWN AREAS TO BE STAKED AND MAINTAINED BY CONTRACTOR. STAKES AND NETTING TO BE REMOVED BY CONTRACTOR PRIOR TO FIRST MOWING.

E LAWN
SCALE 1" = 1'-0" p-lawn.dwg


PLANT SPACING	SPACING "D"	ROW "A"
PLANT CENTER	5' O.C.	51.96"
PLANT ROW	4' O.C.	41.52"
ALL EQUAL OR AS SHOWN ON PLANTING PLAN	36" O.C.	31.20"
	30" O.C.	26.00"
	24" O.C.	20.76"



NOTES:
1. SEE PLANTING PLAN FOR SPACING AND QUANTITIES.
2. PLANTS SHALL BE PLANTED IN CONTINUOUS PLANTING SOIL PER THE DEPTH AS INDICATED IN THE PLANTING PLANS.

C SHRUB PLANTING
SCALE: 1/2" = 1'-0" p-shrub.dwg

SPACING "D"	ROW "A"
36" O.C.	31.20"
30" O.C.	26.00"
24" O.C.	20.76"
12" O.C.	10.44"
10" O.C.	8.64"
8" O.C.	6.96"
6" O.C.	5.16"



NOTES:
1. SEE PLANTING PLAN FOR SPACING AND QUANTITIES.
2. PLANTS SHALL BE PLANTED IN CONTINUOUS PLANTING SOIL PER THE DEPTH AS INDICATED IN THE PLANTING PLANS.

D PERENNIAL PLANTING
SCALE: 1/2" = 1'-0" p-perennial.dwg

NOTE: EXAMINE ENTIRE TREE AND REMOVE ALL NURSERY TAGS, ROPE, STRING, OR SURVEYORS TAPE TO PREVENT FUTURE GIRDLING.

SURROUNDING SOIL SHOULD NOT EXCEED 80% COMPACTION, DRAINAGE WILL BE REQUIRED IF COMPACTED SOILS ARE PRESENT


NYLON STRAP WITH 3/4" GROMMETS, REFER TO SPECIFICATIONS

FASTEN WIRE BELOW POINT OF MAJOR BRANCHING OR TO MAJOR OUTSIDE TRUNK.

2 1/2" HARDWOOD STAKES. ALIGN STAKES PARALLEL W/ ROAD/ WALKS OR PARALLEL W/ DIRECTION OF PREVAILING WIND, REFER TO TREE STAKING DETAIL

TEMPORARY WATERING BASIN MADE FROM SOIL
BREAK APART EDGE OF EXCAVATION W/ SHOVEL AND BLEND PLANTING SOIL W/ EXISTING SOIL TO PROVIDE TRANSITION TO UNDISTURBED GRADE

UNDISTURBED SUBGRADE OR COMPACTED LOAM SUBSOIL (CONDITION VARIES)
EXCAVATE ONLY TO SPECIFIED PLANTING DEPTH TO ENSURE STABLE BASE



A TREE PLANTING
SCALE 1/4" = 1'-0" p-decidtree.dwg

NOTE: EXAMINE ENTIRE TREE AND REMOVE ALL NURSERY TAGS, ROPE, STRING, OR SURVEYORS TAPE TO PREVENT FUTURE GIRDLING.

SURROUNDING SOIL SHOULD NOT EXCEED 80% COMPACTION, DRAINAGE WILL BE REQUIRED IF COMPACTED SOILS ARE PRESENT


12" X 1 1/2" NYLON/COTTON WEAVE TIES WITH 3/4" GROMMETS
1/8" X 7 X 7 STEEL CABLE FASTENED W/ (2) ZINC PLATED CABLE CLAMPS. COVER GUYS W/ 3" OF 3/8" DIA. SLIP PLASTIC TUBING.

TURNBUCKLE, EYE & EYE, ZINC PLATED, 10 5/8" OPEN LENGTH, 3/8" THREAD DIA. INSTALL W/ TURNBUCKLE IN OPEN POSITION.

TEMPORARY WATERING BASIN
(3) DUCKBILL TYPE ANCHORS

BREAK APART EDGE OF EXCAVATION W/ SHOVEL AND BLEND PLANT MIX W/ EXISTING SOIL TO PROVIDE TRANSITION TO UNDISTURBED GRADE.

UNDISTURBED GRADE:
EXCAVATE ONLY TO SPECIFIED PLANTING DEPTH TO ENSURE STABLE BASE



B EVERGREEN PLANTING
SCALE 1/4" = 1'-0" p-vertree.dwg